Statistica Sinica Preprint No: SS-2022-0416							
Title	Title Testing for Zero Skill In Stock Picking or Market Timin						
Manuscript ID	SS-2022-0416						
URL	http://www.stat.sinica.edu.tw/statistica/						
DOI	10.5705/ss.202022.0416						
Complete List of Authors	Qingsong Shan,						
	Lei Jiang,						
	Liang Peng and						
	Zhongling Qin						
Corresponding Authors	Liang Peng						
E-mails	lpeng@gsu.edu						

Statistica Sinica

Testing for Zero Skill in Stock Picking or Market Timing

Qingsong Shan^a Lei Jiang^b Liang Peng^c Zhongling Qin^d

^aSchool of Statistics, Jiangxi University of Economics and Finance

^bAmbassador Crawford College of Business and Entrepreneurship, Kent State University

^cMaurice R. Greenberg School of Risk Science, Georgia State University ^dDepartment of Finance, Auburn University

Abstract: To identify funds skilled in both stock picking and market timing, we develop a test for the zero product of these two skills to first single out funds with at least one zero skill. Our simulations confirm the test's accurate size and good power. We apply our test to active U.S. equity mutual funds to exclude zero-skill funds, and classify the remaining funds based on stock picking and market timing. We find that the 1% of funds with both skills are the only group with significant risk-adjusted performance. We also provide evidence for stock picking and market timing trade-offs along multiple dimensions.

Keywords and phrases: ARMA-GARCH model, bootstrap, heteroscedasticity, hypothesis testing, weighted inference

1. Introduction

Following the seminal works of Jensen (1968), Treynor and Mazuy (1966), and Henriksson and Merton (1981), numerous studies evaluate mutual fund performance using measures of stock picking and market timing skills inferred from fund returns and common risk factors. On the one hand, if such measures are rooted in funds' superior human capital, then top funds should exhibit skills in both stock picking and market timing. Back et al. (2018) also focus on the trade-offs faced by mutual funds. On the other hand, top funds may face trade-offs when applying the two types of skills. For example, Kon (1983), Henriksson (1984), Jagannathan and Korajczyk (1986), and Goetzmann et al. (2000) empirically find a negative association between market-timing and stock-picking skills. One economic explanation for this negative association is proposed by Kacperczyk et al. (2014, 2016), who argue that stock picking and market timing are not talents, but tasks that trade off each other. They present evidence consistent with mutual fund managers allocating their time to focusing on either stock picking or market timing, depending on economic conditions. This negative association implies we need to identify mutual funds with both skills, if such funds exist.

Our approach is motivated by the well-known underperformance of the majority of the active management industry relative to passive index benchmarks. Thus, most mutual funds have zero skill in either stock picking or market timing, and the results of studies of average investment performance can be misleading when including such funds. To address this issue, we propose a new approach that tests whether a fund has zero skill in either stock picking or market timing.

This hypothesis test is equivalent to a composite test for a zero product between the two skill parameters. We show that such a test is nontrivial to implement, because a naive test that independently estimates either skill may theoretically fail. Instead, our proposed direct inference for the product of these two skills leads to a unified test, regardless of whether both skills are zero or only one skill is zero. Our framework starts with a general factor model for both skills, based on observed fund returns. To incorporate the econometric features of daily data, we model errors by using a GARCH sequence to account for heteroscedasticity and an ARMA-GARCH sequence for serial correlation and heteroscedasticity. ARMA-GARCH models have become standard in modeling heteroscedasticity since the works of Engle (1982) and Bollerslev (1986). We further develop a weighted inference to reduce the heavy-tail effect of daily returns. Because the proposed inference avoids estimating a GARCH model, it is robust against heteroscedasticity, and is applicable to monthly returns. We quantify the inference uncertainty using a random weighted bootstrap method. Our simulation studies confirm our test's accurate size and good power across various settings.

Empirically, using our test, we quantify the prevalence of stock-picking and market-timing skills among all actively managed mutual funds in the United States in a formal econometric way. Although Kacperczyk et al. (2014) find that the top 25% of managers exhibit stock-picking and market-timing skills at different times, our novel statistical test finds that the co-existence of both skills is far less prevalent, at about 1%. Overall, our proposed test and findings may prove to be a valuable aid for mutual fund investment allocation decisions.

The rest of the paper is organized as follows. Section 2 introduces the proposed

methodologies. Section 3 reports on the simulation study results. Section 4 describes our data analysis and main findings. Other supporting results and an extension to correlated and heteroscedastic errors are provided in the online Supplementary Material. Section 5 concludes the paper. All theoretical proofs are available the appendix.

2. Models, Tests, and Theoretical Results

Suppose Y_t is a fund's excess return (i.e., net returns minus the risk-free rate) at time t, $X_t = (X_{t,1}, \dots, X_{t,d})^{\tau}$ represents common factors, with $X_{t,1}$ being the market excess return, and A^{τ} denotes the transpose of the matrix or vector A. To evaluate fund performance, the literature employs the following model:

$$Y_t = \alpha + \boldsymbol{\beta}^{\tau} \boldsymbol{X}_t + \gamma H(X_{t,1}) + \varepsilon_t, \ t = 1, \cdots, n,$$
(2.1)

where α and γ measure a fund's stock-picking and market-timing skills, respectively, and H is a known function related to the market volatility. For example, Treynor and Mazuy (1966) use $H(X_{t,1}) = X_{t,1}^2$, Henriksson and Merton (1981) use $H(X_{t,1}) =$ $\max(0, X_{t,1})$, Busse (1999) uses the conditional standard deviation of $X_{t,1}$ as $H(X_{t,1})$, and Goetzmann et al. (2000) use $H(X_{t,1})$ as a monthly quantity computed from daily returns when the above model is applied to monthly data. We refer readers to Bollen and Busse (2001) for a comparison of these measures.

Previous studies, such as Carhart (1997), report that most funds have zero skill in either stock picking or market timing. Thus, including zero-skill funds in a study introduces noise or even bias into the process of identifying funds using stock-picking and market-timing skills and any analysis of fund skill trade-offs. The effects of estimation uncertainty suggest that excluding funds with at least one zero skill is important to more meaningfully evaluate mutual fund performance. To do so, we note that identifying and then excluding funds with at least one zero skill is equivalent to testing the composite null hypothesis,

$$H_0: \alpha = 0 \text{ or } \gamma = 0. \tag{2.2}$$

Put $\theta = \alpha \gamma$. Then, H_0 is equivalent to $H_0 : \theta = 0$. Therefore, one may use the naive estimator $\hat{\theta}_{LSE} = \hat{\alpha}_{LSE} \hat{\gamma}_{LSE}$, where $\hat{\alpha}_{LSE}$ and $\hat{\gamma}_{LSE}$ are the least squares estimators for model (2.1), that is,

$$(\widehat{\alpha}_{LSE}, \widehat{\boldsymbol{\beta}}_{LSE}^{\tau}, \widehat{\gamma}_{LSE})^{\tau} = \arg\min_{\alpha, \beta, \gamma} \sum_{t=1}^{n} \{Y_t - \alpha - \boldsymbol{\beta}^{\tau} \boldsymbol{X}_t - \gamma H(X_{t,1})\}^2.$$

However, this estimator's asymptotic limit depends on whether one skill or both are zero. When $\alpha = 0$ and $\gamma = 0$, $\hat{\theta}_{LSE}$ not only has a convergence rate of n^{-1} , rather than the standard $n^{-1/2}$ rate, but also has a limiting distribution that is nonnormal. Conversely, when only one of α or γ is zero, $\hat{\theta}_{LSE}$ has the standard convergence rate with a normal limit. Thus, it is challenging to test H_0 based on $\hat{\theta}_{LSE}$ without distinguishing between these two cases. This difficulty is noted by Nguyen and Jiang (2020) in a different context. To develop a test for H_0 with the asymptotically correct size, we propose estimating θ directly by constructing a model with the parameter θ .

Put $Z_t = Y_t - \boldsymbol{\beta}^{\tau} \boldsymbol{X}_t$, for $t = 1, \dots, n$. Then, model (2.1) implies that

$$Z_{t}^{2} = \alpha^{2} + E(\varepsilon_{t}^{2}) + 2\alpha\gamma H(X_{t,1}) + \gamma^{2}H^{2}(X_{t,1}) + 2\varepsilon_{t}\{\alpha + \gamma H(X_{t,1})\} + \{\varepsilon_{t}^{2} - E(\varepsilon_{t}^{2})\},\$$

which motivates directly estimating $\theta = \alpha \gamma$ by minimizing

$$\sum_{t=1}^{n} \{ \widehat{Z}_{t,LSE}^{2} - \alpha^{*} - \theta 2H(X_{t,1}) - \gamma^{*}H^{2}(X_{t,1}) \}^{2}, \qquad (2.3)$$

where $\alpha^* = \alpha^2 + E(\varepsilon_t^2), \ \gamma^* = \gamma^2$, and

$$\widehat{Z}_{t,LSE} = Y_t - \widehat{\boldsymbol{\beta}}_{LSE}^{\tau} \boldsymbol{X}_t \text{ for } t = 1, \cdots, n.$$

Note that $\varepsilon_t^2 - E(\varepsilon_t^2) = \sigma_t^2(\eta_t^2 - 1) + \sigma_t^2 - E(\sigma_t^2)$, which means that minimizing (2.3) can lead to an inconsistent inference if $\frac{1}{\sqrt{n}} \sum_{t=1}^n \{\sigma_t^2 - E(\sigma_t^2)\}$ does not converge in distribution because of a lack of finite moments.

To avoid the higher moments of Z_t^2 , we propose splitting the data into two parts, and using a product to directly estimate θ by noting that

$$\varepsilon_{t}\varepsilon_{t+m} = \{Z_{t} - \alpha - \gamma H(X_{t,1})\}\{Z_{t+m} - \alpha - \gamma H(X_{t+m,1})\}$$
$$= Z_{t}Z_{t+m} - \{\alpha + \gamma H(X_{t,1})\}Z_{t+m} - \{\alpha + \gamma H(X_{t+m,1})\}Z_{t}$$
$$+ \alpha_{1} + \theta\{H(X_{t,1}) + H(X_{t+m,1})\} + \gamma_{1}H(X_{t,1})H(X_{t+m,1}),$$

for $t = 1, \dots, m$, where m = [n/2], $\alpha_1 = \alpha^2$, and $\gamma_1 = \gamma^2$. Unfortunately, when heteroscedasticity exists, the asymptotic normality of the above inference requires $E(\sigma_t^4 \bar{\sigma}_{t,1}^4) < \infty$, which may need $E(\varepsilon_t^8) < \infty$ and $E(X_{t,1}^8) < \infty$. To avoid these higher finite moment requirements caused by heteroscedasticity, we propose employing the following weighted inference that models the risk factors using the ARMA-GARCH models

$$X_{t,l} = \mu_l + \sum_{i=1}^{s_l} \phi_{i,l} X_{t-i,l} + \sum_{j=1}^{r_l} \psi_{j,l} \bar{\varepsilon}_{t-j,l} + \bar{\varepsilon}_{t,l}, \ \bar{\varepsilon}_{t,l} = \bar{\eta}_{t,l} \bar{\sigma}_{t,l},$$

$$\bar{\sigma}_{t,l}^2 = w_l + \sum_{i=1}^{p_l} a_{i,l} \bar{\varepsilon}_{t-i,l}^2 + \sum_{j=1}^{q_l} b_{j,l} \bar{\sigma}_{t-j,l}^2, \ l = 1, \cdots, d,$$
(2.4)

and assumes that the regression errors follow the GARCH model

$$\varepsilon_t = \eta_t \sigma_t, \ \sigma_t^2 = w + \sum_{i=1}^p a_i \varepsilon_{t-i}^2 + \sum_{j=1}^q b_j \sigma_{t-j}^2,$$
 (2.5)

where $\{(\eta_t, \bar{\eta}_{t,1}, \cdots, \bar{\eta}_{t,d})^{\top}\}_{t=1}^n$ is a sequence of independent and identically distributed (i.i.d.) random vectors with means zero and variances one.

First, we estimate α, β , and γ using the weighted least squares:

$$(\widehat{\alpha}_{WLSE}, \widehat{\boldsymbol{\beta}}_{WLSE}, \widehat{\gamma}_{WLSE})^{\tau} = \arg\min_{\alpha, \boldsymbol{\beta}, \gamma} \sum_{t=1}^{n} \{Y_t - \alpha - \boldsymbol{\beta}^{\tau} \boldsymbol{X}_t - \gamma H(X_{t,1})\}^2 w_{t,1},$$

where

 $(\widehat{\alpha}_{1,w},\widehat{\theta}_{w},\widehat{\gamma}_{1,w})^{\tau}$

$$w_{t,1}^{-1} = 1 + \max\{||\boldsymbol{X}_t||, H(X_{t,1})\} \text{ with } ||\boldsymbol{X}_t|| = \max_{1 \le i \le d} |X_{t,i}|.$$
(2.6)

Next, we define $\widehat{Z}_{t,WLSE} = Y_t - \widehat{\boldsymbol{\beta}}_{WLSE}^{\tau} \boldsymbol{X}_t$, for $t = 1, \dots, n$, and estimate θ by

$$= \arg \min_{\alpha_{1},\theta,\gamma_{1}} \sum_{t=1}^{m} [\widehat{Z}_{t,WLSE} \widehat{Z}_{t+m,WLSE} - \{\widehat{\alpha}_{WLSE} + \widehat{\gamma}_{WLSE} H(X_{t,1})\} \widehat{Z}_{t+m,WLSE} - \{\widehat{\alpha}_{WLSE} + \widehat{\gamma}_{WLSE} H(X_{t+m,1})\} \widehat{Z}_{t,WLSE} + \alpha_{1} + \theta \{H(X_{t,1}) + H(X_{t+m,1})\} + \gamma_{1} H(X_{t,1}) H(X_{t+m,1})]^{2} w_{t,2},$$

where

$$w_{t,2}^{-1} = 1 + \max\{|Y_t|, ||\boldsymbol{X}_t||, ||\boldsymbol{X}_{t+m}||, H(X_{t,1}), H(X_{t+m,1}), H(X_{t,1})H(X_{t+m,1})\}.$$
(2.7)

Following Ling (2007), we use the weight functions of (2.6) and (2.7) to reduce the heavy-tail effect due to heteroscedasticity and bound the factors in the score equations to ensure a normal limit when $E(\eta_t^2) < \infty$. There are many different choices of weight functions, but our simulation study confirms the good finite-sample performance of using (2.6) and (2.7).

To establish the asymptotic behavior of the estimator, we employ the following regularity conditions:

- C1) {ε_t} and {X_t} are strictly stationary and ergodic with finite variance; see the conditions in Theorem 3.1 of Basrak et al. (2002).
- C2) $\{(\eta_t, \bar{\eta}_{t,1}, \cdots, \bar{\eta}_{t,d})^{\top}\}$ is a sequence of i.i.d. random vectors with mean zero and variance one.

• C3) Assume

$$E(\eta_t | \bar{\eta}_{t,1}, \cdots, \bar{\eta}_{t,d}) = 0,$$
 (2.8)

and there exists $\delta > 0$ such that $E|\eta_t|^{2+\delta} < \infty$.

• C4) Assume the covariance matrices of $\{w_{t,1}\varepsilon_t(1, \mathbf{X}_t^{\tau}, H(X_{t,1}))^{\tau}\}_{t=1}^n$ and

$$[w_{t,2}\varepsilon_t\varepsilon_{t+m}\{1, H(X_{t,1}) + H(X_{t+m,1}), H(X_{t,1})H(X_{t+m,1})\}^{\tau}]_{t=1}^m$$

are positive definite.

Theorem 1. Suppose models (2.1), (2.4), and (2.5) hold, with conditions C1)-C4). Then, as $n \to \infty$, $\sqrt{n}(\hat{\theta}_w - \theta) \xrightarrow{d} N(0, \sigma_0^2)$, where σ_0^2 has a complicated formula given in the proof.

To avoid estimating the complicated σ_0^2 , we adopt the random weighted bootstrap method of Jin et al. (2001) and Zhu (2016), as follows. Note that the conventional residual-based bootstrap method (see Hall (1992)) does not apply to our approach, because we do not infer the GARCH model of the regression errors.

- Step Ai) Draw a random sample of size n from the standard exponential distribution. Denote these random draws by ξ_1^b, \dots, ξ_n^b .
- Step Aii) Compute

$$(\widehat{\alpha}_{WLSE}^{b}, \widehat{\boldsymbol{\beta}}_{WLSE}^{b\tau}, \widehat{\gamma}_{WLSE}^{b})^{\tau} = \arg\min_{(\alpha, \boldsymbol{\beta}^{\tau}, \gamma)^{\tau}} \sum_{t=1}^{n} \xi_{t}^{b} \{Y_{t} - \alpha - \boldsymbol{\beta}^{\tau} \boldsymbol{X}_{t} - \gamma H(X_{t,1})\}^{2} w_{t,1}.$$

• Step Aiii) Define

$$\widehat{Z}_{t,WLSE}^{b} = Y_t - \widehat{\boldsymbol{\beta}}_{WLSE}^{b\tau} \boldsymbol{X}_t, \ t = 1, \cdots, n,$$

and calculate

$$\begin{aligned} &(\widehat{\alpha}_{1,w}^{b}, \widehat{\theta}_{w}^{b}, \widehat{\gamma}_{1,w}^{b})^{\tau} \\ &= \arg\min_{\alpha_{1}, \theta, \gamma_{1}} \sum_{t=1}^{m} \xi_{t+m}^{b} [\widehat{Z}_{t,WLSE}^{b} \widehat{Z}_{t+m,WLSE}^{b} - \{\widehat{\alpha}_{WLSE}^{b} + \widehat{\gamma}_{WLSE}^{b} H(X_{t,1})\} \widehat{Z}_{t+m,WLSE}^{b} \\ &- \{\widehat{\alpha}_{WLSE}^{b} + \widehat{\gamma}_{WLSE}^{b} H(X_{t+m,1})\} \widehat{Z}_{t,WLSE}^{b} + \alpha_{1} + \theta \{H(X_{t,1}) + H(X_{t+m,1})\} \\ &+ \gamma_{1} H(X_{t,1}) H(X_{t+m,1})]^{2} w_{t,2}, \end{aligned}$$

• Step Aiv) Repeat the above three steps B times to get $\{\widehat{\theta}_w^b\}_{b=1}^B$, and estimate the asymptotic variance of $\widehat{\theta}_w$ by

$$\widehat{\sigma}_0^2 = \frac{n}{B} \sum_{b=1}^{B} (\widehat{\theta}_w^b - \widehat{\theta}_w)^2.$$

Theorem 2. Under the conditions of Theorem 1, $\hat{\sigma}_0^2/\sigma_0^2$ converges in probability to one as $B \to \infty$ and $n \to \infty$.

Using Theorems 1 and 2, we reject the null hypothesis of (2.2) at level a if $\hat{\theta}_w^2/\hat{\sigma}_0^2 > \chi_{1,1-a}^2$, where $\chi_{1,1-a}^2$ is the (1-a)th quantile of a chi-squared distribution with one degree of freedom. The Supplementary Material generalizes this method to correlated and heteroscedastic ε_t . Alternatively, we can compute the p-value for testing H_0 in (2.2) by $\frac{1}{B} \sum_{b=1}^B I(|\hat{\theta}_w| < |\hat{\theta}_w^b - \hat{\theta}_w|)$, which leads to the asymptotically correct size by taking $B \to \infty$ and then $n \to \infty$.

3. Simulation Study

In this section, we investigate the finite-sample performance of the proposed test in terms of its size and power. To mimic the results of realistic mutual fund investing, we simulate fund returns under a factor model fitted to the empirical features of the mutual funds in the data set that we study in Section 4. We then analyze the test's performance for different simulated settings, depending on the stock-picking skill (α), market-timing skill (γ), sample size, and data-generating process. As a benchmark, we also compare the performance of our proposed estimator with that of the naive ordinary least squares estimator $\hat{\theta}_{LSE} = \hat{\alpha}_{LSE} \hat{\gamma}_{LSE}$. To be more comparable, we employ a similar random weighted bootstrap method to estimate the asymptotic variance of the naive estimator $\hat{\theta}_{LSE}$.

We draw random samples from the following four-factor model:

$$Y_t = \alpha + \boldsymbol{\beta}^{\tau} \boldsymbol{X}_t + \gamma H(X_{t,1}) + \varepsilon_t, \ t = 1, \cdots, n,$$
(3.1)

where $\mathbf{X}_t = (X_{t,1}, \cdots, X_{t,4})^{\tau}$ represents the four factors from Carhart (1997): the market excess return (MKT), size (SMB), book-to-market (HML), and momentum (UMD) factors, and $H(X_{t,1}) = X_{t,1}^2$, as defined by Treynor and Mazuy (1966). We set $\boldsymbol{\beta} = (0.9757290, -0.1010977, 0.1064889, -0.2045018)^{\tau}$ based on the vector of empirical regression estimates of the four-factor model for a representative fund in our data set. We set the true stock-picking (α) and market-timing (γ) parameters to be 0, 0.01, or 0.05.

We model the factors $X_{t,1}, \dots, X_{t,4}$ by independent AR(1)-GARCH(1,1) processes. We generate ε_t in (3.1) independently from these four factors using three different scenarios: a sequence of independent random variables with normal distributions, a GARCH(1,1) process, and an AR(1)-GARCH(1,1) process. To make our simulation more realistic, the coefficients of these models are obtained from actual data. Specifically, we use the fGarch R package to fit an ARMA(1,0)-GARCH(1,1) model to each of the four factors and the residuals from model (3.1) using a representative fund in our data set for the period from September 1, 1998, to December 31, 2018. Tables 1 and 2 summarize the coefficients of the four factors $X_{t,1}, \dots, X_{t,4}$ and the errors ε_t in the three scenarios.

	μ	ϕ	ω	a	b
$X_{t,1}$	0.10467535	-0.07631574	0.04075129	0.14544129	0.7657024
$X_{t,2}$	-0.00238095	0.01933178	0.01296749	0.06118342	0.8908670
$X_{t,3}$	-0.04445163	0.00072542	0.02254173	0.09856252	0.7906360
$X_{t,4}$	0.05034941	0.01640715	0.02024227	0.14370110	0.8036767

 Table 1: ARMA-GARCH Coefficients for the Four Factors

Table 2: Coefficients for Error

ε_t	μ	ϕ	ω	a	b
Scenario 1: i.i.d. $N(0, 0.1)$	0	0	0	0	0
Scenario 2: GARCH(1,1)	0	0	0.03155241	0.11454071	0.61573066
Scenario 3: AR(1)-GARCH(1,1) 0 -	-0.08733819	0.03155241	0.11454071	0.61573066

We conduct the hypothesis test of H_0 : $\theta = 0$ (i.e., H_0 : $\alpha \gamma = 0$) at the 10% significance level. Using 1000 repetitions and B = 1000 bootstrap iterations for the random weighted bootstrap method, we compute and compare the simulated size and power of the hypothesis tests using our proposed estimator $\hat{\theta}_w$ and the naive estimator $\hat{\theta}_{LSE}$. Tables 3 and 4 report the size and power, respectively. We make the following observations:

• i) In general, the test using the naive estimator $\hat{\theta}_{LSE}$ has distorted size, consistent with its asymptotic limit being a nonnormal distribution when both α and

 γ are close to zero. The test size is below 0.01 across all our simulation settings, except when the sample size is large at 1000, and α is nonzero at 0.05.

- ii) The test using the proposed estimator $\hat{\theta}_w$ has accurate size for all cases we consider. The proposed estimator is also a meaningful improvement relative to the naive estimator.
- iii) The power of the test using the proposed estimator θ_w increases with the sample size or when α and γ are greater than zero. The test under Scenario 1 has much higher power than under the other two scenarios.
- iv) Our approach of splitting the data affects the test's power when the sample size is small.

In summary, it is challenging to test $H_0: \alpha = 0$ or $\gamma = 0$, as exemplified by the naive ordinary least squares estimator. The proposed technique of splitting the data to test the product of the skill parameters provides a test with accurate size and good power. However, it does affect the test power when the sample size is small.

4. Data Analysis

This section applies our test to identify mutual funds with stock-picking and/or market-timing skills. We start by describing our data set of actively managed equity mutual funds. Then, we apply our test to exclude zero-skill funds from the sample, and classify the remaining funds into skill groups. We use these classifications to examine each skill group's prevalence and returns and if there are skill trade-offs.

Table 3: Simulation Study for Comparing Test Size

This table reports the results of our simulation study comparing the test sizes of the proposed estimator and the naive estimator at a significance level of 10%.

Case	α	γ	Sample Size	Method	Scenario 1	Scenario 2	Scenario 3
One	0.00	0.00	100	Naive	0.002	0.001	0.002
			100	New	0.107	0.114	0.119
			200	Naive	0.000	0.002	0.001
			200	New	0.106	0.088	0.094
			1000	Naive	0.000	0.000	0.000
			1000	New	0.107	0.101	0.116
Two	0.00	0.01	100	Naive	0.003	0.002	0.002
			100	New	0.130	0.083	0.109
			200	Naive	0.000	0.004	0.000
			200	New	0.100	0.110	0.099
			1000	Naive	0.002	0.003	0.000
			1000	New	0.094	0.108	0.118
Three	0.00	0.05	100	Naive	0.001	0.007	0.003
			100	New	0.120	0.101	0.091
			200	Naive	0.000	0.004	0.007
			200	New	0.099	0.113	0.109
			1000	Naive	0.002	0.051	0.057
			1000	New	0.099	0.086	0.104
Four	0.01	0.00	100	Naive	0.000	0.003	0.003
			100	New	0.110	0.083	0.107
			200	Naive	0.000	0.004	0.001
			200	New	0.104	0.093	0.098
			1000	Naive	0.000	0.002	0.002
			1000	New	0.097	0.111	0.120
Five	0.05	0.00	100	Naive	0.001	0.009	0.008
			100	New	0.094	0.099	0.100
			200	Naive	0.002	0.014	0.015
			200	New	0.090	0.116	0.093
			1000	Naive	0.002	0.086	0.084
			1000	New	0.093	0.101	0.110

Table 4: Simulation Study for Comparing Test Power

This table reports the results of our simulation study comparing the test power of the proposed estimator at a significance level of 10%.

-	Case	α	γ	Sample Size	Scenario 1	Scenario 2	Scenario 3
-	One	0.05	0.05	100	0.292	0.095	0.099
				200	0.479	0.110	0.113
				1000	0.962	0.125	0.127
-	Two	0.05	0.10	100	0.580	0.113	0.097
				200	0.829	0.103	0.118
				1000	1.000	0.165	0.201
-	Three	0.10	0.05	100	0.573	0.125	0.103
				200	0.791	0.130	0.109
				1000	1.000	0.171	0.210
-	Four	0.10	0.10	100	0.893	0.126	0.130
				200	0.987	0.143	0.156
				1000	1.000	0.366	0.394
	Five	0.20	0.20	100	1.000	0.442	0.451
				200	1.000	0.631	0.696
				1000	1.000	0.998	0.993

4.1 Data and Implementation of Test

We obtain U.S. open-end mutual fund returns and their characteristics from CRSP (the Center for Research in Security Prices) Survivor-Bias-Free US Mutual Fund Database. Funds' daily and monthly returns are value-weighted averages across all fund share classes (using the total net assets of the share class as the weight). We collect the risk-free rate and risk factor data from the Ken French data library.

The actively managed mutual funds sample is constructed following Kacperczyk et al. (2008). We begin by using the investment objective codes from CRSP. We exclude ETFs, annuities, and index funds, based on their indicator variables or fund names from CRSP, following Busse et al. (2021). Because we focus on equity funds, we require 80% of the assets under management to be invested in common stocks. We restrict our sample to funds at least one year old and that have at least USD 15 million in assets under management. We address incubation bias as in Evans (2010). Our final sample includes 3,569 U.S. actively managed domestic equity funds for the period January 1980 to December 2018.

To test the null hypothesis of zero skill, H_0 : $\alpha = 0$ or $\gamma = 0$, we use daily data available from 1998 to 2018 to fit model (2.1) for each fund. To be consistent with our simulation study, we estimate (2.1) based on the four-factor specification of Carhart (1997), which includes the daily market excess return (MKT), size (SMB), value (HML), and momentum (UMD) factors. We also run our tests using the CAPM one-factor model, as in Jensen (1968). We find qualitatively similar results, with a slightly lower number of funds with both stock-picking and market-timing skills. Our tests are based on the AR-GARCH model, where we use the AIC to select the best AR model. Then, we use 1000 bootstrap iterations for each fund to compute the p-values against the null hypothesis.

To create our mutual fund skill classifications, at the 10% level, we first sort funds with either zero stock-picking or zero market-timing skill, based on a failure to reject the null, into a benchmark zero-skill group. Then, we classify funds with either nonzero picking or market-timing skills into four groups: (1) the "Both" group, comprising funds with positive picking ($\alpha > 0$) and timing ($\gamma > 0$) skills; (2) the "Picking" group, comprising funds with positive picking and negative timing skills; (3) the "Timing" group, comprising funds with positive timing and negative picking skills; (4) the "Neither" group, comprising funds with negative picking and timing skills; and (5) the "Zero Skill" group, comprising all other funds that fail to reject H_0 . Our estimates of stock picking and market timing come from the weighted least squares estimation given in Theorem S1, with the weight function described in (S2) in the Supplementary Material. Lastly, note that, although we use daily data to implement the test, the conclusions also apply at the fund level, some of which have monthly returns back to 1980. Thus, to minimize survivorship bias, we also include funds that failed before 1998 in the zero-skill group.

4.2 Empirical Results

The first line of Table 5 reports the results of our classification of funds into mutually exclusive skill groups. At the 10% level, we find that 3,159 out of 3,569 funds have zero skill in either stock picking or market timing. Conversely, a very small subset of 36 funds have positive stock-picking and market-timing skills. We also find that a larger

group of funds have one skill, but not the other: 120 funds have a positive (negative) stock-picking (market-timing) skill, and 146 funds have a positive (negative) market-timing (stock-picking) skill. Lastly, 108 funds have neither stock-picking nor market-timing skills. As a result, funds that possess both abilities are rare, occurring only 1.0% of the time. This is in contrast to the finding of Kacperczyk et al. (2014) that the top 25% of managers exhibit both abilities.

Table 5: Risk-Return Summary Statistics

This table presents summary statistics for the return distribution of the gross monthly excess returns over the risk-free rate for active funds in each skill group. The sample period is from 1980 to 2018.

	Zero Skill	Both	Picking	Timing	Neither
Number of Funds	3159	36	120	146	108
Annualized Mean Return (%)	8.09	9.81	9.20	7.42	8.31
Annualized Std. Dev. (%)	15.64	14.29	16.78	15.45	16.34
Annualized Sharpe Ratio	0.52	0.69	0.55	0.48	0.51
Skewness	-0.80	-0.87	-0.75	-0.68	-0.88
Kurtosis	5.62	6.15	5.82	4.90	5.67
Beta	1.01	0.89	1.05	1.00	1.04
Worst Monthly Return (%)	-24.03	-21.55	-25.57	-21.53	-25.23
% of Months w/ Negative Return	38.68	37.18	39.53	38.89	38.89
Annualized Mean Return in Bear Markets (%)	-97.34	-84.54	-100.12	-96.59	-102.21
Annualized Std. Dev. in Bear Markets $(\%)$	13.08	13.75	14.83	11.89	14.14
Beta in Bear Markets	1.05	1.01	1.14	0.96	1.12

Table 5 displays the returns distribution for each skill group, computed by summarizing the equally weighted average monthly returns of all funds in each group. We expect funds with stock-picking skills to exhibit better performance, based on risk-return trade-offs. Indeed, funds with both skills have the highest Sharpe ratio at 0.69, followed by pure stock-picking funds at 0.55, zero-skill funds at 0.52, neither skill group at 0.51, and pure market-timing funds at 0.48. Funds with market-timing

skills should adjust their market exposure during market expansions and downturns. We define bear market states as the 10% of months with the lowest market return, during which we find that funds in the timing-skill group reduce their overall market beta from 1.00 to 0.96. We find that funds in the timing-skill group reduce their overall market beta from 1.00 to 0.96 during bear market states, where we define bear market states as the 10% of months with the lowest market return. In contrast, the other four skill groups have a higher market beta during bear market states. We further find that pure market-timing funds have the lowest volatility (i.e., standard deviation) during bear market states, the least negative return skewness, and the smallest kurtosis among all the skill groups. Hence, pure market-timing funds appear to manage downside risks as well.

Given that our novel test appears to classify funds well based on their skill, we next examine whether there are stock-picking and market-timing trade-offs. We approach this question from three perspectives. First, comparing pure stock-picking and pure market-timing funds in the third and fourth columns, respectively, of Table 5, we do observe such a trade-off. Pure market timing sacrifices the higher risk-return profile of pure stock picking to have better market and downside risk management. Furthermore, these two skill groups appear to generate different types of value for investors, because pure stock picking has higher Sharpe ratios than those of zero-skill funds. In contrast, pure market timing manages risk during downturns better than zero skill funds do.

Second, our evidence suggests that funds with both skills favor stock picking over market timing. We observe that the return distributions for funds with stock-picking

and market-timing skills are similar to that of the pure stock-picking funds. The funds with both skills generate by far the best Sharpe ratios, but fail to scale back their market exposure (i.e., market beta) during bear market states. They also incur the most negative skewness and the highest positive kurtosis, meaning they are more exposed to heavy-tailed outcomes. At the same time, relative to the funds in the other groups, those with both skills appear to have some market-timing skill and the overall lowest volatility. Compared with pure market-timing funds, they also have lower market exposure during bear market states than the other groups have. Finally, they manage downside risks a bit better than pure stock pickers do, because their volatility during bear market states is lower.

Third, we do not find stock-picking and market-timing trade-offs for funds with negative stock-picking and market-timing skills. While neither group has a risk profile in terms of volatility and market beta similar to the pure stock-picking group, they do not generate similarly high returns. They also fail to decrease their market exposure and overall volatility during bear states. Finally, they exhibit higher tail risks, with the most negative skewness and return during bear markets.

Stock picking is heavily weighted over market timing by funds with both skills, because funds with both skills excel at stock picking. Of the four groups, they generate the highest return, at 9.81% per year, with the lowest volatility, at 14.29% per year. To examine this stock-picking ability further, we explore whether standard factor exposures can explain this risk-return profile. In Table 6, we regress the average monthly excess return of each skill group on either 1) the market excess return (MKT), or 2) the market excess return, plus the size (SMB), value (HML), and momentum (UMD) factors, following Carhart (1997). Because both the independent and the dependent variables in these regressions are returns, we can interpret the constant, that is, alpha, as the average abnormal return unexplained by factor exposures. At the 1% level, we find funds with both skills are the only group generating statistically significant and positive alphas, earning 3.0% or 2.7% per year, relative to the market or Carhart factor models. In sharp contrast, the alphas of the other four groups are statistically insignificant.

Table 6: Factor Exposures of Different Funds

This table presents the factor exposures of the gross monthly excess returns over the riskfree rate for active funds in each skill group. All returns are annualized by multiplying by 12. In the parentheses below the coefficient estimates, we report Newey and West (1987) t-statistics with 12 lags. The sample period is from 1980 to 2018, with N representing the number of months. ***, **, and * indicate statistical significance at the 1%, 5%, and 10% levels, respectively.

	Zero	Skill	В	oth	Pic Dep V	king ar: R_t	Timing		Neither	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
MKT _t	$\frac{1.008^{***}}{(96.923)}$	$\begin{array}{c} 0.980^{***} \\ (105.322) \end{array}$	$\begin{array}{c} 0.887^{***} \\ (30.475) \end{array}$	$\begin{array}{c} 0.885^{***} \\ (46.793) \end{array}$	$\frac{1.052^{***}}{(61.618)}$	$\frac{1.000^{***}}{(70.425)}$	$\begin{array}{c} 0.997^{***} \\ (87.595) \end{array}$	$\begin{array}{c} 0.972^{***} \\ (74.150) \end{array}$	$\frac{1.040^{***}}{(0.012)}$	1.007^{***} (0.009)
SMB_t		0.194^{***} (10.563)		0.136^{***} (4.850)		0.275^{***} (9.064)		0.169^{***} (10.456)		$\begin{array}{c} 0.241^{***} \\ (0.014) \end{array}$
HML_t		$ \begin{array}{c} 0.002 \\ (0.088) \end{array} $		$\begin{array}{c} 0.127^{***} \\ (4.314) \end{array}$		-0.064 (-1.339)		-0.004 (-0.201)		-0.007 (0.015)
UMD_t		$0.008 \\ (0.587)$		-0.035^{**} (-2.448)		$\begin{array}{c} 0.020\\ (0.847) \end{array}$		0.012 (0.989)		0.032^{***} (0.009)
Constant	$\begin{array}{c} 0.327\\ (0.556) \end{array}$	$0.263 \\ (0.624)$	$2.982^{***} \\ (2.963)$	$\begin{array}{c} 2.701^{***} \\ (3.379) \end{array}$	$1.100 \\ (1.026)$	1.244 (1.533)	-0.264 (-0.609)	-0.332 (-0.861)	0.297 (0.625)	$ \begin{array}{c} 0.080 \\ (0.483) \end{array} $
$rac{N}{R^2}$	$468 \\ 0.967$	$468 \\ 0.983$	$468 \\ 0.897$	$\begin{array}{c} 468 \\ 0.913 \end{array}$	$\begin{array}{c} 468 \\ 0.915 \end{array}$	$\begin{array}{c} 468 \\ 0.948 \end{array}$	$\begin{array}{c} 468 \\ 0.970 \end{array}$	$468 \\ 0.983$	$\begin{array}{c} 468 \\ 0.944 \end{array}$	$\begin{array}{c} 468 \\ 0.969 \end{array}$

Overall, our novel test points toward a meaningful classification of funds based

on stock-picking and market-timing skills. We can then identify funds with either skill relative to zero-skill funds. Importantly, these are the only funds that generate attractive risk-adjusted returns. The Supplementary Material reports additional analyses to validate these skill classifications based on each group's active management characteristics and stock-holding styles.

5. Conclusion

We have proposed a novel statistical test for at least one zero skill in stock picking and market timing, because a direct inference for the product of these two skills is infeasible. Applying the developed test to actively managed U.S. mutual funds, we exclude zero-skill funds, and find clear trade-offs between stock picking and market timing among the remaining funds along multiple dimensions related to a fund's risk-return profile, market timing, active management, and stock-holding style. Importantly, we find that only 1% of funds optimize these trade-offs and possess both skills. These funds are the only group that generate abnormal risk-adjusted returns, at around 3% per year, while also managing their market risk exposure.

Acknowledgments

We thank the associate editor and two reviewers for their helpful comments. Jiang's research was supported by the Tsinghua University Initiative Scientific Research Program and Institute for Industrial Innovation and Finance at Tsinghua University. Peng's research was partly supported by the Simons Foundation and the NSF grant DMS-2012448.

Appendix: Theoretical Proofs

Define \mathcal{F}_t as the σ -field generated by $\{\eta_u, \bar{\eta}_{v,1}, \cdots, \bar{\eta}_{v,d} : u \leq t, v \leq t+1\}$, $\mathbf{0}_d$ as the d-dimensional zero vector, and put

$$\begin{split} \boldsymbol{W}_{n} &= \frac{1}{\sqrt{n}} \sum_{t=1}^{n} w_{t,1} \varepsilon_{t} \{1, \boldsymbol{X}_{t}^{\mathsf{T}}, H(X_{t,1})\}^{\mathsf{T}}, \\ \boldsymbol{\Gamma}_{n} &= \frac{1}{n} \sum_{t=1}^{n} w_{t,1} \begin{pmatrix} 1 & \boldsymbol{X}_{t}^{\mathsf{T}} & H(X_{t,1}) \\ \boldsymbol{X}_{t} & \boldsymbol{X}_{t} \boldsymbol{X}_{t}^{\mathsf{T}} & \boldsymbol{X}_{t} H(X_{t,1}) \\ H(X_{t,1}) & \boldsymbol{X}_{t}^{\mathsf{T}} H(X_{t,1}) & H^{2}(X_{t,1}) \end{pmatrix}, \\ \boldsymbol{\Gamma} &= \begin{pmatrix} E(w_{t,1}) & E(w_{t,1} \boldsymbol{X}_{t}^{\mathsf{T}}) & E(w_{t,1} H(X_{t,1})) \\ E(w_{t,1} \boldsymbol{X}_{t}) & E(w_{t,1} \boldsymbol{X}_{t} \boldsymbol{X}_{t}^{\mathsf{T}}) & E(w_{t,1} \boldsymbol{X}_{t} H(X_{t,1})) \\ E(w_{t,1} H(X_{t,1})) & E(w_{t,1} \boldsymbol{X}_{t}^{\mathsf{T}} H(X_{t,1})) & E(w_{t,1} H^{2}(X_{t,1})) \\ E(w_{t,1} \varepsilon_{t}^{2}) & E(w_{t,1}^{2} \varepsilon_{t}^{2} \boldsymbol{X}_{t}^{\mathsf{T}}) & E(w_{t,1}^{2} \varepsilon_{t}^{2} H(X_{t,1})) \\ E(w_{t,1}^{2} \varepsilon_{t}^{2} \boldsymbol{X}_{t}) & E(w_{t,1}^{2} \varepsilon_{t}^{2} \boldsymbol{X}_{t} \boldsymbol{X}_{t}^{\mathsf{T}}) & E(w_{t,1}^{2} \varepsilon_{t}^{2} \boldsymbol{X}_{t} H(X_{t,1})) \\ E(w_{t,1}^{2} \varepsilon_{t}^{2} H(X_{t,1})) & E(w_{t,1}^{2} \varepsilon_{t}^{2} \boldsymbol{X}_{t}^{\mathsf{T}} H(X_{t,1})) & E(w_{t,1}^{2} \varepsilon_{t}^{2} H^{2}(X_{t,1})) \\ H_{t} &= H(X_{t,1}) + H(X_{t+m,1}), \quad \tilde{H}_{t} = H(X_{t,1}) H(X_{t+m,1}), \end{split}$$

$$\begin{split} \widetilde{\mathbf{W}}_{m} &= \frac{1}{\sqrt{m}} \sum_{t=1}^{m} w_{t,2} \varepsilon_{t} \varepsilon_{t+m} (1, H_{t}, \widetilde{H}_{t})^{\tau}, \\ \widetilde{\mathbf{\Gamma}}_{m} &= \frac{1}{m} \sum_{t=1}^{m} w_{t,2} \begin{pmatrix} 1 & H_{t} & \widetilde{H}_{t} \\ H_{t} & H_{t}^{2} & \widetilde{H}_{t} H_{t} \\ \widetilde{H}_{t} & H_{t} \widetilde{H}_{t} & \widetilde{H}_{t}^{2} \end{pmatrix}, \\ \widetilde{\mathbf{\Sigma}} &= \begin{pmatrix} E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} \widetilde{H}_{t}) \\ E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t}^{2}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t} H_{t}) \\ E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} \widetilde{H}_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} H_{t} H_{t}) \\ E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} \widetilde{H}_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} \widetilde{H}_{t} H_{t}) & E(w_{t,2}^{2} \varepsilon_{t}^{2} \varepsilon_{t+m}^{2} \widetilde{H}_{t}^{2}) \end{pmatrix}, \\ \widetilde{\mathbf{\Gamma}} &= \begin{pmatrix} E(w_{t,2}) & E(w_{t,2} H_{t}) & E(w_{t,2} \widetilde{H}_{t}) \\ E(w_{t,2} H_{t}) & E(w_{t,2} H_{t}) & E(w_{t,2} \widetilde{H}_{t} H_{t}) \\ E(w_{t,2} \widetilde{H}_{t}) & E(w_{t,2} \widetilde{H}_{t} H_{t}) & E(w_{t,2} \widetilde{H}_{t} H_{t}) \\ E(w_{t,2} \widetilde{H}_{t}) & E(w_{t,2} \widetilde{H}_{t} H_{t}) & E(w_{t,2} \widetilde{H}_{t}^{2}) \end{pmatrix}, \\ \widetilde{\mathbf{S}}_{1} &= E\{w_{t,2} \varepsilon_{t} (1, \mathbf{X}_{t}^{\tau}, H(X_{t,1}))^{\tau} (1, H_{t}, \widetilde{H}_{t})^{\tau}\}, \\ \widetilde{\mathbf{S}}_{2} &= E\{w_{t,2} (2\alpha + \gamma H_{t}, \mathbf{0}_{t}^{\tau}, \alpha H_{t} + 2\gamma \widetilde{H}_{t})^{\tau} (1, H_{t}, \widetilde{H}_{t})^{\tau}\}. \end{split}$$

Throughout, we use \xrightarrow{p} and \xrightarrow{d} to denote the convergence in probability and in distribution, respectively.

Lemma 1. Define $\boldsymbol{\xi} = (\alpha, \boldsymbol{\beta}^{\tau}, \gamma)^{\tau}$ and $\widehat{\boldsymbol{\xi}} = (\widehat{\alpha}_{WLSE}, \widehat{\boldsymbol{\beta}}_{WLSE}^{\tau}, \widehat{\gamma}_{WLSE})^{\tau}$. Under conditions of Theorem 1, as $n \to \infty$, we have

$$\Gamma_n \xrightarrow{p} \Gamma, \ \boldsymbol{W}_n \xrightarrow{d} N(\boldsymbol{0}_{d+2}, \boldsymbol{\Sigma}), \ \sqrt{n}(\widehat{\boldsymbol{\xi}} - \boldsymbol{\xi}) = -\Gamma^{-1} \boldsymbol{W}_n + o_p(1).$$
 (5.1)

Proof. It follows from ergodicity of $\{\mathbf{X}_t\}$ that $\Gamma_n \xrightarrow{p} \Gamma$ as $n \to \infty$. Use (2.8) and the fact that $\{(\eta_t, \bar{\eta}_{t,1}, \cdots, \bar{\eta}_{t,d})^{\tau}\}$ is a sequence of independent and identically distributed random variables, we have $E(\mathbf{W}_t | \mathcal{F}_{t-1}) = \mathbf{0}_{d+2}$. Hence, it follows from the central limit theorem for martingale differences in Hall and Heyde (1980) that $\boldsymbol{W}_n \xrightarrow{d} N(\boldsymbol{0}_{d+2}, \boldsymbol{\Sigma})$. Because $\sqrt{n}(\hat{\boldsymbol{\xi}} - \boldsymbol{\xi}) = -\boldsymbol{\Gamma}_n^{-1} \boldsymbol{W}_n$, we have

$$\sqrt{n}(\widehat{\boldsymbol{\xi}} - \boldsymbol{\xi}) = -\boldsymbol{\Gamma}^{-1} \boldsymbol{W}_n + o_p(1).$$

Lemma 2. Define $\boldsymbol{\xi}_w = (\alpha_1, \theta, \gamma_1)^{\tau}$ and $\widehat{\boldsymbol{\xi}}_w = (\widehat{\alpha}_{1,w}, \widehat{\theta}_w, \widehat{\gamma}_{1,w})^{\tau}$. Under conditions of Theorem 1, $\alpha_1 = \alpha^2$, $\theta = \alpha \gamma$, and $\gamma_1 = \gamma^2$, as $n \to \infty$, we have

$$\widetilde{\Gamma}_m \xrightarrow{p} \widetilde{\Gamma}, \ \widetilde{W}_m \xrightarrow{d} N(\mathbf{0}_3, \widetilde{\Sigma}),$$
(5.2)

$$\sqrt{m}(\widehat{\boldsymbol{\xi}}_w - \boldsymbol{\xi}_w) = -\widetilde{\boldsymbol{\Gamma}}^{-1} \{ \widetilde{\boldsymbol{W}}_m + \frac{1}{\sqrt{2}} (\widetilde{\boldsymbol{S}}_1 + \widetilde{\boldsymbol{S}}_2) \boldsymbol{\Gamma}^{-1} \boldsymbol{W}_n \} + o_p(1), \quad (5.3)$$

$$\boldsymbol{W}_{n}\widetilde{\boldsymbol{W}}_{m}^{\tau} = \sqrt{2}E\{w_{t+m,1}w_{t,2}\varepsilon_{t}\varepsilon_{t+m}^{2}(1,\boldsymbol{X}_{t+m}^{\tau},\boldsymbol{H}(\boldsymbol{X}_{t+m,1}))^{\tau}(1,\boldsymbol{H}_{t},\widetilde{\boldsymbol{H}}_{t})\} + o_{p}(1). \quad (5.4)$$

Proof. Proofs of (5.2) and (5.4) follow the same arguments in proving (5.1). For proving (5.3), write

$$\begin{aligned} \widehat{Z}_{t,WLSE}\widehat{Z}_{t+m,WLSE} &- \{\widehat{\alpha}_{WLSE} + \widehat{\gamma}H(X_{t,1})\}\widehat{Z}_{t+m,WLSE} \\ \{\widehat{\alpha} + \widehat{\gamma}H(X_{t+m,1})\}\widehat{Z}_{t,WLSE} + \alpha_1 + \theta H_t + \gamma_1\widetilde{H}_t \\ &= \{\widehat{Z}_{t,WLSE} - \widehat{\alpha}_{WLSE} - \widehat{\gamma}_{WLSE}H(X_{t,1})\}\{\widehat{Z}_{t+m,WLSE} - \widehat{\alpha}_{WLSE} - \widehat{\gamma}_{WLSE}H(X_{t+m,1})\} \\ &- (\widehat{\alpha}^2 - \alpha^2) - (\widehat{\alpha}\widehat{\gamma} - \alpha\gamma)H_t - (\widehat{\gamma}^2 - \gamma^2)\widetilde{H}_t \\ &= \varepsilon_t\varepsilon_{t+m} - \{(\widehat{\alpha}_{WLSE} - \alpha) + (\widehat{\beta}_{WLSE} - \beta)^{\tau}\mathbf{X}_t + (\widehat{\gamma}_{WLSE} - \gamma)H(X_{t,1})\}\varepsilon_{t+m} \\ &- \{(\widehat{\alpha}_{WLSE} - \alpha) + (\widehat{\beta}_{WLSE} - \beta)^{\tau}\mathbf{X}_{t+m} + (\widehat{\gamma} - \gamma)H(X_{t,1})\}\varepsilon_t \\ &- \{(\widehat{\alpha}_{WLSE}^2 - \alpha^2) + (\widehat{\alpha}\widehat{\gamma} - \alpha\gamma)H_t + (\widehat{\gamma}^2 - \gamma^2)\widetilde{H}_t\} + o_p(1/\sqrt{n}) \\ &= \varepsilon_t\varepsilon_{t+m} + R_{t,1} + R_{t,2} + R_{t,3} + o_p(1/\sqrt{n}). \end{aligned}$$

Hence,

=

=

$$\sqrt{m}(\widehat{\boldsymbol{\xi}}_w - \boldsymbol{\xi}_w) = -\widetilde{\boldsymbol{\Gamma}}^{-1}\{\widetilde{\boldsymbol{W}}_m + \sum_{j=1}^3 \frac{1}{\sqrt{m}} \sum_{t=1}^m w_{t,2} R_{t,j} (1, H_t, \widetilde{H}_t)^{\tau}\} + o_p(1).$$

Using (2.8), (5.2), and ergodicity, we have

$$\begin{split} \frac{1}{\sqrt{m}} \sum_{t=1}^{m} w_{t,2} R_{t,1}(1, H_t, \tilde{H}_t)^{\tau} \\ &= -\frac{1}{m} \sum_{t=1}^{m} w_{t,2} \varepsilon_{t+m}(1, H_t, \tilde{H}_t)^{\tau}(1, \mathbf{X}_t^{\tau}, H(X_{t,1})) \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) \\ &= o_p(1), \\ &\frac{1}{\sqrt{m}} \sum_{t=1}^{m} w_{t,2} R_{t,2}(1, H_t, \tilde{H}_t)^{\tau} \\ &= -\frac{1}{m} \sum_{t=1}^{m} w_{t,2} \varepsilon_t(1, H_t, \tilde{H}_t)^{\tau}(1, \mathbf{X}_t^{\tau}, H(X_{t,1})) \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) \\ &= -E\{w_{t,2} \varepsilon_t(1, H_t, \tilde{H}_t)^{\tau}(1, \mathbf{X}_t^{\tau}, H(X_{t,1}))\} \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) + o_p(1) \\ &= -\widetilde{\mathbf{S}}_1 \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) + o_p(1), \\ &\frac{1}{\sqrt{m}} \sum_{t=1}^{m} w_{t,2} R_{t,3}(1, H_t, \tilde{H}_t)^{\tau}(2\alpha + \gamma H_t, \mathbf{0}_d^{\tau}, \alpha H_t + 2\gamma \tilde{H}_t) \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) + o_p(1) \\ &= -\widetilde{\mathbf{S}}_2 \sqrt{m}(\widehat{\mathbf{\xi}} - \mathbf{\xi}) + o_p(1). \end{split}$$

Therefore, (5.3) follows from the equations above.

Proof of Theorem 1. The theorem follows from Lemmas 1 and 2 and the fact that $\hat{\theta}_w - \theta = (0, 1, 0)(\hat{\boldsymbol{\xi}}_w - \boldsymbol{\xi}_w)$, where σ_0^2 can be calculated explicitly, which we skip deriving the formula as we will use the random weighted bootstrap method to estimate it later.

Proof of Theorem 2. Define $\widehat{\boldsymbol{\xi}}^{b} = (\widehat{\alpha}^{b}_{WLSE}, \widehat{\boldsymbol{\beta}}^{b\tau}_{WLSE}, \widehat{\gamma}^{b}_{WLSE})^{\tau}, \ \widehat{\boldsymbol{\xi}}^{b}_{w} = (\widehat{\alpha}^{b}_{1,w}, \widehat{\theta}^{b}_{w}, \widehat{\gamma}^{b}_{1,w})^{\tau},$

$$\boldsymbol{W}_{n}^{b} = \frac{1}{\sqrt{n}} \sum_{t=1}^{n} (\xi_{t}^{b} - 1) w_{t,1} \varepsilon_{t} (1, \boldsymbol{X}_{t}^{\tau}, H(X_{t,1}))^{\tau},$$

$$\begin{split} \mathbf{\Gamma}_{n}^{b} &= \frac{1}{n} \sum_{t=1}^{n} \xi_{t}^{b} w_{t,1} \begin{pmatrix} 1 & \mathbf{X}_{t}^{\intercal} & H(X_{t,1}) \\ \mathbf{X}_{t} & \mathbf{X}_{t} \mathbf{X}_{t}^{\intercal} & \mathbf{X}_{t} H(X_{t,1}) \\ H(X_{t,1}) & \mathbf{X}_{t}^{\intercal} H(X_{t,1}) & H^{2}(X_{t,1}) \end{pmatrix}, \\ & \widetilde{\mathbf{W}}_{m}^{b} &= \frac{1}{\sqrt{m}} \sum_{t=1}^{m} (\xi_{t+m}^{b} - 1) w_{t,2} \varepsilon_{t} \varepsilon_{t+m} (1, H_{t}, \widetilde{H}_{t})^{\intercal}. \end{split}$$

Therefore,

$$\begin{split} &\sqrt{n}(\widehat{\boldsymbol{\xi}}^{b} - \boldsymbol{\xi}) \\ &= -(\boldsymbol{\Gamma}_{n}^{b})^{-1} \frac{1}{n} \sum_{t=1}^{n} \xi_{t}^{b} w_{t,1} \varepsilon_{t}(1, \boldsymbol{X}_{t}^{\tau}, H(X_{t,1}))^{\tau} \\ &= -\boldsymbol{\Gamma}^{-1} \frac{1}{n} \sum_{t=1}^{n} \xi_{t}^{b} w_{t,1} \varepsilon_{t}(1, \boldsymbol{X}_{t}^{\tau}, H(X_{t,1}))^{\tau} + o_{p}(1) \end{split}$$

implying that

$$\sqrt{n}(\widehat{\boldsymbol{\xi}}^b - \widehat{\boldsymbol{\xi}}) = -\boldsymbol{\Gamma}^{-1} \boldsymbol{W}_n^b + o_p(1).$$

Similarly,

$$\sqrt{m}(\widehat{\boldsymbol{\xi}}_{w}^{b} - \widehat{\boldsymbol{\xi}}_{w}) = -\widetilde{\boldsymbol{\Gamma}}^{-1}\{\widetilde{\boldsymbol{W}}_{m}^{b} + \frac{1}{\sqrt{2}}(\widetilde{\boldsymbol{S}}_{1} + \widetilde{\boldsymbol{S}}_{2})\boldsymbol{\Gamma}^{-1}\boldsymbol{W}_{n}^{b}\} + o_{p}(1).$$
(5.5)

We can show that

$$\boldsymbol{W}_{n}^{b} \stackrel{d}{\rightarrow} N(\boldsymbol{0}_{d+2}, \boldsymbol{\Sigma}), \ \widetilde{\boldsymbol{W}}_{m}^{b} \stackrel{d}{\rightarrow} N(\boldsymbol{0}_{3}, \widetilde{\boldsymbol{\Sigma}}),$$

$$\boldsymbol{W}_{n}^{b}(\widetilde{\boldsymbol{W}}_{m}^{b})^{\tau} = \sqrt{2}E\{w_{t+m,1}w_{t,2}\varepsilon_{t}\varepsilon_{t+m}^{2}(1,\boldsymbol{X}_{t+m}^{\tau},H(X_{t+m,1}))^{\tau}(1,H_{t},\widetilde{H}_{t})\} + o_{p}(1)$$

Hence, both $\sqrt{m}(\widehat{\theta}_w - \theta)$ and $\sqrt{m}(\widehat{\theta}_w^b - \widehat{\theta}_w)$ have a normal limit with the same asymptotic variance. Further, we can show that $\frac{m}{B} \sum_{b=1}^{B} (\widehat{\theta}_w^b - \widehat{\theta}_w)^2$ converges in probability to the asymptotic variance of $\sqrt{m}(\widehat{\theta}_w - \theta)$ as $B \to \infty$ and $n \to \infty$ by using the independence between $\{\xi_t^b\}$ and $\{X_t, Y_t\}$. That is, the theorem follows.

Supplementary Material

The online Supplement Material generalizes the method to correlated and heteroscedastic ε_t and reports an additional data analysis that validates our classification of mutual funds based on stock picking and market timing skills.

References

- Back, K., A. D. Crane, and K. Crotty (2018, December). Skewness Consequences of Seeking Alpha. The Review of Financial Studies 31 (12), 4720–4761.
- Basrak, B., R. A. Davis, and T. Mikosch (2002, May). Regular variation of GARCH processes. Stochastic Processes and their Applications 99(1), 95–115.
- Bollen, N. P. B. and J. A. Busse (2001). On the Timing Ability of Mutual Fund Managers. The Journal of Finance 56(3), 1075–1094.
- Bollerslev, T. (1986, April). Generalized autoregressive conditional heteroskedasticity. Journal of Econometrics 31(3), 307–327.
- Busse, J. A. (1999). Volatility timing in mutual funds: Evidence from daily returns. The Review of Financial Studies 12(5), 1009–1041.
- Busse, J. A., L. Jiang, and Y. Tang (2021). Double-Adjusted Mutual Fund Performance. The Review of Asset Pricing Studies 11(1), 169–208.

Carhart, M. M. (1997). On persistence in mutual fund performance. The Journal of Finance 52(1), 57-82.

Engle, R. F. (1982). Autoregressive Conditional Heteroscedasticity with Estimates of the Variance of United Kingdom Inflation. *Econometrica* 50(4), 987–1007.

Evans, R. B. (2010). Mutual Fund Incubation. The Journal of Finance 65(4), 1581-1611.

- Goetzmann, W. N., J. Ingersoll, and Z. Ivković (2000). Monthly measurement of daily timers. Journal of Financial and Quantitative Analysis 35(3), 257–290.
- Hall, P. (1992, January). The Bootstrap and Edgeworth Expansion (1992nd edition ed.). New York: Springer.

Hall, P. and C. C. Heyde (1980). Martingale Limit Theory and Its Application. Academic Press.

- Henriksson, R. D. (1984). Market timing and mutual fund performance: An empirical investigation. Journal of Business, 73–96.
- Henriksson, R. D. and R. C. Merton (1981). On market timing and investment performance. II. Statistical procedures for evaluating forecasting skills. *Journal of Business*, 513–533.
- Jagannathan, R. and R. A. Korajczyk (1986). Assessing the market timing performance of managed portfolios. Journal of Business, 217–235.
- Jensen, M. C. (1968). The performance of mutual funds in the period 1945-1964. The Journal of Finance 23(2), 389-416.
- Jin, Z., Z. Ying, and L. J. Wei (2001). A Simple Resampling Method by Perturbing the Minimand. Biometrika 88(2), 381–390.
- Kacperczyk, M., S. V. Nieuwerburgh, and L. Veldkamp (2014). Time-Varying Fund Manager Skill. The Journal of Finance 69(4), 1455–1484.
- Kacperczyk, M., C. Sialm, and L. Zheng (2008, November). Unobserved Actions of Mutual Funds. The Review of Financial Studies 21(6), 2379–2416.
- Kacperczyk, M., S. Van Nieuwerburgh, and L. Veldkamp (2016). A Rational Theory of Mutual Funds' Attention Allocation. *Econometrica* 84(2), 571–626.
- Kon, S. J. (1983). The market-timing performance of mutual fund managers. Journal of Business 56(3), 323–347.

- Ling, S. (2007, October). Self-weighted and local quasi-maximum likelihood estimators for ARMA-GARCH/IGARCH models. *Journal of Econometrics* 140(2), 849–873.
- Newey, W. K. and K. D. West (1987). A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix. *Econometrica* 55(3), 703–708.
- Nguyen, T. and J. Jiang (2020, January). Power analysis, sample size calculation for testing the largest binomial probability. *Statistical Theory and Related Fields* 4(1), 78–83.
- Treynor, J. and K. Mazuy (1966). Can mutual funds outguess the market. *Harvard Business Review* 44(4), 131–136.
- Zhu, K. (2016). Bootstrapping the portmanteau tests in weak auto-regressive moving average models. Journal of the Royal Statistical Society: Series B (Statistical Methodology) 78(2), 463–485.

Qingsong Shan, Jiangxi University of Economics and Finance, Nanchang, Jiangxi, 330013, China.

E-mail: mathhuman@outlook.com

Lei Jiang, Kent State University, Kent, OH, 44240, USA.

E-mail: ljiang10@kent.edu

Liang Peng, Georgia State University, Atlanta, GA, 30303, USA.

E-mail: lpeng@gsu.edu

Zhongling Qin (corresponding author), Auburn University, Auburn, AL, 36849, USA.

E-mail: zzq0018@auburn.edu